

Since the arrival of the 2008 Ninja 250R, the 250cc full-fairing sports class has been dominated by Twins. But a new contender for the 250cc crown has arrived.

Kawasaki is proud to present the Ninja ZX-25R, an all-new 250cc supersport model powered by the only In-Line Four engine in its class*

A shining example of the performance offered by Ninja ZX machines, this long-awaited model was created for discerning, sports-minded customers longing for a racy street machine with high circuit-riding potential.

Distinctive Ninja ZX styling, LED lighting, high-class instrumentation and superb fit & finish creates a stunning ensemble sure to draw envious stares from other riders and onlookers alike. Traction control and a dual-direction quick shifter* – high-tech features reserved for high-performance models – further elevate the Ninja ZX-25R in the 250cc class.

But what will truly resonate with Ninja ZX-25R owners is the sensation from twisting the throttle: accelerating from corner to corner, excitement levels matching the smoothly climbing revs as the meticulously crafted high-rpm scream of the In-Line Four engine echoes in their heart.





The ZX-25R's bore x stroke dimensions are ϕ 50mm x 31.8mm. While a direct comparison isn't straightforward due to varying goals, it's interesting to observe that the stroke is shorter than that of the Super Cub 50, which has over 20% greater displacement per cylinder, measuring ϕ 37.8mm x 44mm. This highlights the impressive compactness of the ZX-25R's components.

Regarding the valve specifications, the intake side features a valve diameter of ϕ 18.9mm, while the exhaust side boasts a ϕ 15.9mm diameter. Notably, the intake side incorporates a waist valve design, while the exhaust side utilizes Inconel, a material known for its exceptional heat resistance.

Despite the strict regulations compared to its 1991 predecessor, the ZX-25R's engine was engineered for maximum output and performance. The combination of elements such as the electronic throttle system, rider support systems, and ram air duct inherited from the Ninja H2, contributed to the creation of a powerful engine with an exhilarating roar.

Mr. Tamamoto emphasized

Our target audience is sports-minded riders seeking a unique experience. The ZX-25R offers a distinctive blend of a 4-cylinder engine's rising sensation, high-quality feel, and high-pitched sound that's unprecedented, delivering enjoyment to experienced 250cc 4-cylinder riders.

The frame choice involved careful consideration, favoring a trellis frame over aluminum for the ZX-25R's handling characteristics and overall riding experience. A balance between rigidity and flexibility was achieved through innovative frame design, while the suspension and handling were carefully tuned for optimal performance, tailored for both city and circuit riding.

As the ZX-25R makes its debut, it stands as a testament to Kawasaki's dedication to pushing boundaries and delivering exceptional performance motorcycles that cater to a wide range of riders' preferences and experiences.







Centre Ram Air System

A trademark feature of Kawasaki's Ninja ZX models, the centrally positioned Ram Air duct system, influenced by insights from the Ninja H2, enhances the intake efficiency, thereby playing a pivotal role in boosting overall engine performance.

Electronic Throttle Valves



By enabling the high-spec ECU to control the volume of both fuel (via fuel injectors) and air (via throttle valves) delivered to the engine, Electronic Throttle Valves (ETV) not only provide

smooth, natural engine response, they also facilitate the use of Kawasaki electronic rider support systems like traction control, selectable power modes and dual-direction quick-shifter that allow riders to feel more at one with their machine.



World Superbike Chassis Design Thinking

Key chassis dimensions (centre of gravity position, swingarm pivot position, engine axis positions, caster angle, etc) were inspired by Kawasaki's World Superbike Ninja ZX-10RR racer, bringing WSBK chassis design thinking to the 250cc class.

Formed from high-tensile steel, the long-style arched-design swingarm delivers the required balance of rigidity and flex, while enabling the short silencer to be positioned more centrally (benefitting mass centralisation) and contributing to stylish, sporty looks.

High-Grade Suspension Components

The Ninja ZX-25R's ø37 mm inverted fork uses SFF-BP (Separate Function Fork – Big Piston) internals. Combining the concepts of Showa SFF and BPF, this advanced fork offers both racetrack performance and everyday usability. At the rear, Horizontal Back-link rear suspension offers a progressive character that contributes to the bike's supersport-style handling. Both make their debut in the 250cc class.



High-Performance Supersport Brakes

Large-diameter front disc gripped by a radial-mount monobloc caliper and complemented by a large diameter rear disc offer strong stopping power and deliver superb brake touch, helping riders set precise corner speeds on the track and facilitating control when navigating city traffic.

Fierce Aura of an Apex Predator

With fierce Ninja styling that reflects its high-level performance, the Ninja ZX-25R can proudly take its place in Kawasaki's Ninja ZX super-sport lineup. High-tech electronic rider support features like traction control, power mode selection and a quick shifter make it even easier to enjoy its exciting In-Line Four engine performance

KQS (Kawasaki Quick Shifter)



Allowing riders to take even greater advantage of the Ninja ZX-25R's exhilarating engine character, the quick shifter – a first for the 250cc class – enables clutch less upshifts and downshifts for seamless acceleration and quick and easy

deceleration. Further, when riding in the city, not having to use the clutch repeatedly greatly contributes to rider comfort.

Power Mode Selection



A choice of Full Power or Low Power modes allows riders to set power delivery to suit preference and conditions.

KTRC (Kawasaki Traction Control)



Kawasaki's advanced system provides both enhanced sport riding performance and the peace of mind under certain conditions to negotiate low-traction surfaces with confidence. Three

rider-selectable modes offer progressively greater levels of intrusion to suit the riding situation and rider preference.



TFT Colour Instrumentation with Smart Phone Connectivity

The new 4.3" all digital TFT colour instrumentation gives the cockpit a high-tech, high-grade appearance. The new meter also offers additional features unavailable on the previous model.





In-Line Four engine

250 capacity

6 Speed transmission

34.5 KW @15,500 rpm

22 Nm @12,500 rpm

TFT Colour Instrumentation with Smartphone Connectivity



Equipped with Single Seat Cover



Power Mode



Kawasaki Quick Shifter (KQS)



Kawasaki Traction
Control (KTRC)



Horizontal Back-link with Adjustable Preload



Single Semi-floating 310mm disc Radial-mount, Monobloc, Opposed 4 piston

Assist & Slipper Cluth



New Sport
Performance Tyre

Ninja zx-25R SE

MODEL SPECIFICATIONS

Liquid Cooled, 4-Stroke In-Line Four, Type

DOHC, 16 Valves Displacement 250 cc

Bore x Stroke 50.0 x 31.8 mm

Compression Ratio 12.5:1

Fuel Supply Fuel Injection (ø30 mm x 4)

Lubrication System **Forced Wet Sump** Starting System **Electric Starter** Ignition System B&C (TCBI, EL. ADV. D.)

FRAME

ENGINE

Trellis, High-tensile Steel Type

Suspension: Inverted Fork (SFF-BP) With Adjustable Front Spring Preload and Top-out Spring

> Rear Horizontal Back-link, Gas-charged Shock with Spring Preload Adjustability

Wheel Travel: Front 120 mm

Rear 116 mm Caster (Rake Angle) 24.2 Trail 99 mm

Steering Angle (left/right) 35/35

110/70R 17M/C (54H) Front Tyre:

150/60R 17M/C (66H) Rear Brake: Front

Single semi-floating 310 mm disc Radial-mount, monobloc, opposed

4-piston

Single Disc (220 mm) Rear

DIMENSIONS

Overall Length 1,980 mm Overall Width 750 mm Overall Height 1,110 mm Wheelbase 1,380 mm **Ground Clearance** 118 mm Seat Heiaht 785 mm **Curb Mass** 184 kg **Fuel Capacity** 15 litres

DRIVETRAIN

Driving System Chain Transmission 6-speed, Return Shift Primary Reduction ratio 2.900 (87/30) Final Reduction ratio 3.571 (50/14)

Wet, Multi-disc

PERFORMANCE

Clutch Type (Primary)

Max. Power 34.5 kW / 15,500 rpm Max. Torque 22 Nm / 12,500 rpm

LIGHT

Headlight (High/Low) LED/LED Brake/Tail Light LED

Ninja zx-esr se



Metallic Matte Graphensteel Gray



Lime Green / Ebony

Ninja zx-25R SE

Kawasaki is proud to present the Ninja ZX-25R, an all-new 250cc super-sport model powered by the only In-Line Four engine in its class*. A shining example of the performance offered by Ninja ZX machines, this long-awaited model was created for discerning, sports-minded customers longing for a racy street machine with high circuit-riding potential.

Kawasaki Technology
























A Wholly Owned Subsidiary of MODENAS

EON Head Office Complex, Level 2, No. 2, Persiaran Kerjaya, Taman Perindustrian Glenmarie, Seksyen UI, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia.

Kawasaki WhatsApp Care Line: +6019 570 8135

Kawasaki Toll Free Line : +1800 880 008







^{*} Specifications are subject to change without prior notice

^{**} Pictures displayed are for illustration purposes only. Actual product may vary